



Republic of the Philippines  
**OFFICE OF THE OMBUDSMAN**  
Agham Road, Diliman, Quezon City 1105

**Supplemental/Bid Bulletin No. 1**  
**“PUBLIC BIDDING FOR THE SUPPLY AND DELIVERY OF AIR PURIFIERS**  
**FOR THE OFFICE OF THE OMBUDSMAN”**  
**(PB 2021-05)**

**AMENDMENTS TO THE BIDDING DOCUMENTS**  
**13 December 2021**

1. The Bids and Awards Committee-Main hereby amends/clarifies/modifies the following provisions relative to the above-mentioned project and all prospective bidders are informed of these amendments/clarifications/modifications:

PARTICULARS	AMENDMENT/CLARIFICATION/ MODIFICATION
<b>TECHNICAL SPECIFICATIONS</b>	<b>TECHNICAL SPECIFICATIONS</b>
1. xxx	1. xxx
2. UV Sterilizer (Lifespan: minimum of 8,000 hours or <del>48</del> months)	2. UV Sterilizer (Lifespan: minimum of 8,000 hours or <b>11 months</b> )
3. xxx	3. xxx
4. <del>Non-Ozone generating</del>	4. The Air Purifier must comply with either the IEC 60335-2-65, Edition 2.2 2015-01 or ANSI/UL 897 Standards.
5. xxx	5. xxx
6. xxx	6. xxx
<b>OTHER REQUIREMENTS/ TERMS AND CONDITIONS</b>	<b>OTHER REQUIREMENTS/ TERMS AND CONDITIONS</b>
1. The Air Purifier (AP) units to be supplied must have an ISO 29463 Certification or an EN1822 Certification showing efficiency and classification of the product.	1. The Air Purifier (AP) units to be supplied <b><u>must have HEPA FILTERS</u></b> with ISO 29463 Certification or an EN1822 Certification showing efficiency and classification of the product.
2. xxx	2. xxx
	3. <b><u>The Supplier must submit a Testing Certification (Ozone Emission) showing the unit is compliant with IEC 60335-2- 65, Edition 2.2 2015-01 or ANSI/UL 897 Certification.</u></b>
3. The Supplier must guarantee the availability of accessory filter replacement.	4. The Supplier must guarantee the availability of accessory filter replacement.


<p>4. The Supplier must guarantee the availability of accessory UVC lamp replacement.</p>	<p>5. The Supplier must guarantee the availability of accessory UVC lamp replacement.</p>
<p>5. The Supplier shall carry sufficient inventories to assure ex-stock supply of consumable spare parts or components for the Goods for a period of Five (5) years.</p>	<p>6. The Supplier shall carry sufficient inventories to assure ex-stock supply of consumable spare parts or components for the Goods for a period of Five (5) years.</p>
<p>6. The Supplier must provide brochures/pictures of the product being offered.</p>	<p>7. The Supplier must provide brochures/pictures of the product being offered.</p>
<p>7. The Supplier must provide a detailed operations and maintenance manual for each appropriate unit of the supplied Goods;</p>	<p>8. The Supplier must provide a detailed operations and maintenance manual for each appropriate unit of the supplied Goods;</p>
<p>8. The product to be delivered must conform with the Voltage/Frequency: 220-240 Volts/50-60 Hz. The Supplier must provide an appropriate adapter to be included in the package.</p>	<p>9. The product to be delivered must conform with the Voltage/ Frequency: 220-240 Volts/50-60 Hz. The Supplier must provide an appropriate adapter to be included in the package.</p>
<p>9. The Supplier must provide on- site assembly and/or start-up of the supplied Goods;</p>	<p>10. The Supplier must provide on- site assembly and/or start-up of the supplied Goods;</p>
<p>10. The Supplier must furnish tools required for assembly and/or maintenance of the supplied Goods;</p>	<p>11. The Supplier must furnish tools required for assembly and/or maintenance of the supplied Goods;</p>
<p>11. The Office of the Ombudsman shall have the right to reject and to demand for the replacement of the items delivered if found defective after the conduct of corresponding testing of each supplied Goods. Goods are considered defective when they are unfit for use for which it is intended, or its fitness for such use is diminished.</p>	<p>12. The Office of the Ombudsman shall have the right to reject and to demand for the replacement of the items delivered if found defective after the conduct of corresponding testing of each supplied Goods. Goods are considered defective when they are unfit for use for which it is intended, or its fitness for such use is diminished.</p>
<p>12. The supplier must provide orientation of the Procuring Entity's personnel, at the Supplier's plant and/or repair of the supplied goods.</p>	<p>13. The supplier must provide orientation of the Procuring Entity's personnel, at the Supplier's plant and/or repair of the supplied goods.</p>
<p>13. The supplier must have at least one (1) authorized service center within Metro Manila.</p>	<p>14. The supplier must have at least one (1) authorized service center within Metro Manila.</p>



3. This Supplemental Bid Bulletin No. 1 shall form part of the Bid Documents. Any provisions in the Bid Documents inconsistent herewith is hereby amended, modified and superseded accordingly.
4. All Prospective Bidders and bidders who have already purchased the bidding documents are reminded to **USE the Amended Ombudsman Bid Form No. 1 – Technical Specifications with Bidder’s Statement of Compliance** (copy attached) which are attached in this Supplemental/Bid Bulletin.

For further inquiries, you may coordinate with the Bids and Awards Committee Secretariat-Main at email addresses: **ombbacsecmain@gmail.com** and/or **bac@ombudsman.gov.ph**.

For guidance and information of all concerned.

  
**ADORACION A. AGBADA**  
*Acting Assistant Ombudsman, OMB-Luzon*  
*Chairperson, Bids and Awards Committee*

# Technical Specifications

## AMENDED OMBUDSMAN BID FORM No. 1A- TECHNICAL SPECIFICATION WITH BIDDER'S STATEMENT OF COMPLIANCE

**HON. ADORACION A. AGBADA**

Chairperson, Bids and Awards Committee  
Office of the Ombudsman  
Agham Road, North Triangle  
Diliman, Quezón City

Madam:

Herewith is our TECHNICAL PROPOSAL for your office requirement:

(INSTRUCTION TO BIDDER: Check the “Comply” box if the bidder complies with the Ombudsman Specifications. A Technical Proposal containing unchecked “Comply” boxes would be automatically rated as “FAILED.”)

### LOT 1- AIR PURIFIERS WITH COVERAGE AREA OF AT LEAST 40 SQUARE METERS

Item	Unit	Ombudsman Technical Specifications	Quantity	Bidder's Statement of Compliance
	unit	<b>AIR PURIFIER</b> <b>Coverage Area:</b> at least 40 square meters	13	<input type="checkbox"/> Comply
		Ultraviolet (UV) Sterilizer Concealed		<input type="checkbox"/> Comply
		UV Sterilizer (lifespan: minimum of 8,000 hours or 11 months)		<input type="checkbox"/> Comply
		Ultraviolet Light C (UVC) Technology (should have the wavelength of 200nm to 280nm <sup>9</sup> )		<input type="checkbox"/> Comply
		The Air Purifier must comply with either the IEC 60335-2-65, Edition 2.2 2015-01 or ANSI/UL 897 Standards.		<input type="checkbox"/> Comply
		With HEPA Filter equal to or more than H13 (or its ISO 29463 equivalent: from ISO35H to ISO50H) (HEPA Filter Lifespan: minimum of 6 months)		<input type="checkbox"/> Comply
		With Activated Carbon Filter (Activated Carbon Filter Lifespan: minimum of 18 months)		<input type="checkbox"/> Comply

### OTHER REQUIREMENTS/TERMS AND CONDITIONS:

Item	Unit	OMBUDSMAN TECHNICAL SPECIFICATIONS	Bidder's Statement of Compliance
		The Air Purifier (AP) units to be supplied <b><u>must have HEPA FILTERS</u></b> with ISO 29463 Certification or an EN1822 Certification showing efficiency and classification of the product.	<input type="checkbox"/> Comply



		The Supplier must submit a notarized undertaking that the AP's UVC light feature complies with the UVC standard as stated in the technical specifications	<input type="checkbox"/> Comply
		The Supplier must submit a Testing Certification (Ozone Emission) showing the unit is compliant with IEC 60335-2-65, Edition 2.2 2015-01 or ANSI/UL 897 Certification	<input type="checkbox"/> Comply
		The Supplier must guarantee the availability of accessory filter replacement	<input type="checkbox"/> Comply
		The Supplier must guarantee the availability of accessory UVC lamp replacement	<input type="checkbox"/> Comply
		The Supplier shall carry sufficient inventories to assure ex-stock supply of consumable spare parts or components for the Goods for a period of five (5) years	<input type="checkbox"/> Comply
		The Supplier must provide brochures/pictures of the product being offered	<input type="checkbox"/> Comply
		The Supplier must provide a detailed operations and maintenance manual for each appropriate unit of the supplied Goods	<input type="checkbox"/> Comply
		The product to be delivered must conform with the Voltage/Frequency: 220-240 Volts/50-60 Hz. The Supplier must provide an appropriate adapter to be included in the package	<input type="checkbox"/> Comply
		The Supplier must provide on-site assembly and/or start-up of the supplied Goods	<input type="checkbox"/> Comply
		The Supplier must furnish tools required for assembly and/or maintenance of the supplied Goods	<input type="checkbox"/> Comply
		The Office of the Ombudsman shall have the right to reject and to demand for the replacement of the items delivered if found defective after the conduct of corresponding testing of each supplied Goods. Goods are considered defective when they are unfit for use for which it is intended, or its fitness for such use is diminished	<input type="checkbox"/> Comply
		The supplier must provide orientation of the Procuring Entity's personnel, at the Supplier's plant and/or repair of the supplied goods.	<input type="checkbox"/> Comply
		The supplier must have at least one (1) authorized service center within Metro Manila.	<input type="checkbox"/> Comply

### Statement of Compliance

*[Bidders must check the "Comply" box against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.]*

I hereby certify that the statement of compliance to the foregoing technical specifications are true and correct, otherwise, if found to be false either during bid evaluation or post-qualification, the same shall give rise to automatic disqualification of our bid.

---

Signature Over Printed Name of  
Authorized Representative

---

Position/Designation

---

Name of Company/Bidder

---

Telephone/Mobile Number(s)

---

Email address(es)

---

Date Signed



# Technical Specifications

## AMENDED OMBUDSMAN BID FORM No. 1B- TECHNICAL SPECIFICATION WITH BIDDER'S STATEMENT OF COMPLIANCE

**HON. ADORACION A. AGBADA**  
Chairperson, Bids and Awards Committee  
Office of the Ombudsman  
Agham Road, North Triangle  
Diliman, Quezon City

Madam:

Herewith is our TECHNICAL PROPOSAL for your office requirement:

(INSTRUCTION TO BIDDER: Check the “Comply” box if the bidder complies with the Ombudsman Specifications. A Technical Proposal containing unchecked “Comply” boxes would be automatically rated as “FAILED.”)

### LOT 2- AIR PURIFIERS WITH COVERAGE AREA OF AT LEAST 60 SQUARE METERS

Item	Unit	Ombudsman Technical Specifications	Quantity	Bidder's Statement of Compliance
	unit	<b>AIR PURIFIER</b> <b>Coverage Area:</b> at least 60 square meters	23	<input type="checkbox"/> Comply
		Ultraviolet (UV) Sterilizer Concealed		<input type="checkbox"/> Comply
		UV Sterilizer (lifespan: minimum of 8,000 hours or 11 months)		<input type="checkbox"/> Comply
		Ultraviolet Light C (UVC) Technology (should have the wavelength of 200nm to 280nm <sup>9</sup> )		<input type="checkbox"/> Comply
		The Air Purifier must comply with either the IEC 60335-2-65, Edition 2.2 2015-01 or ANSI/UL 897 Standards.		<input type="checkbox"/> Comply
		With HEPA Filter equal to or more than H13 (or its ISO 29463 equivalent: from ISO35H to ISO50H) (HEPA Filter Lifespan: minimum of 6 months)		<input type="checkbox"/> Comply
		With Activated Carbon Filter (Activated Carbon Filter Lifespan: minimum of 18 months)		<input type="checkbox"/> Comply

### OTHER REQUIREMENTS/TERMS AND CONDITIONS:

Item	Unit	OMBUDSMAN TECHNICAL SPECIFICATIONS	Bidder's Statement of Compliance
		The Air Purifier (AP) units to be supplied <b><u>must have HEPA FILTERS</u></b> with ISO 29463 Certification or an EN1822 Certification showing efficiency and classification of the product.	<input type="checkbox"/> Comply



		The Supplier must submit a notarized undertaking that the AP's UVC light feature complies with the UVC standard as stated in the technical specifications	<input type="checkbox"/> Comply
		The Supplier must submit a Testing Certification (Ozone Emission) showing the unit is compliant with IEC 60335-2-65, Edition 2.2 2015-01 or ANSI/UL 897 Certification	<input type="checkbox"/> Comply
		The Supplier must guarantee the availability of accessory filter replacement	<input type="checkbox"/> Comply
		The Supplier must guarantee the availability of accessory UVC lamp replacement	<input type="checkbox"/> Comply
		The Supplier shall carry sufficient inventories to assure ex-stock supply of consumable spare parts or components for the Goods for a period of five (5) years	<input type="checkbox"/> Comply
		The Supplier must provide brochures/pictures of the product being offered	<input type="checkbox"/> Comply
		The Supplier must provide a detailed operations and maintenance manual for each appropriate unit of the supplied Goods	<input type="checkbox"/> Comply
		The product to be delivered must conform with the Voltage/Frequency: 220-240 Volts/50-60 Hz. The Supplier must provide an appropriate adapter to be included in the package	<input type="checkbox"/> Comply
		The Supplier must provide on-site assembly and/or start-up of the supplied Goods	<input type="checkbox"/> Comply
		The Supplier must furnish tools required for assembly and/or maintenance of the supplied Goods	<input type="checkbox"/> Comply
		The Office of the Ombudsman shall have the right to reject and to demand for the replacement of the items delivered if found defective after the conduct of corresponding testing of each supplied Goods. Goods are considered defective when they are unfit for use for which it is intended, or its fitness for such use is diminished	<input type="checkbox"/> Comply
		The supplier must provide orientation of the Procuring Entity's personnel, at the Supplier's plant and/or repair of the supplied goods.	<input type="checkbox"/> Comply
		The supplier must have at least one (1) authorized service center within Metro Manila.	<input type="checkbox"/> Comply

### Statement of Compliance

*[Bidders must check the "Comply" box against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.]*



I hereby certify that the statement of compliance to the foregoing technical specifications are true and correct, otherwise, if found to be false either during bid evaluation or post-qualification, the same shall give rise to automatic disqualification of our bid.

Signature Over Printed Name of Authorized Representative
Position/Designation
Name of Company/Bidder
Telephone/Mobile Number(s)
Email address(es)
Date Signed

# Technical Specifications

## AMENDED OMBUDSMAN BID FORM No. 1C- TECHNICAL SPECIFICATION WITH BIDDER'S STATEMENT OF COMPLIANCE

**HON. ADORACION A. AGBADA**  
Chairperson, Bids and Awards Committee  
Office of the Ombudsman  
Agham Road, North Triangle  
Diliman, Quezon City

Madam:

Herewith is our TECHNICAL PROPOSAL for your office requirement:

(INSTRUCTION TO BIDDER: Check the “Comply” box if the bidder complies with the Ombudsman Specifications. A Technical Proposal containing unchecked “Comply” boxes would be automatically rated as “FAILED.”)

### LOT 3- AIR PURIFIERS WITH COVERAGE AREA OF AT LEAST 80 SQUARE METERS

Item	Unit	Ombudsman Technical Specifications	Quantity	Bidder's Statement of Compliance
	unit	<b>AIR PURIFIER</b> <b>Coverage Area:</b> at least 80 square meters	7	<input type="checkbox"/> Comply
		Ultraviolet (UV) Sterilizer Concealed		<input type="checkbox"/> Comply
		UV Sterilizer (lifespan: minimum of 8,000 hours or 11 months)		<input type="checkbox"/> Comply
		Ultraviolet Light C (UVC) Technology (should have the wavelength of 200nm to 280nm <sup>9</sup> )		<input type="checkbox"/> Comply
		The Air Purifier must comply with either the IEC 60335-2-65, Edition 2.2 2015-01 or ANSI/UL 897 Standards.		<input type="checkbox"/> Comply
		With HEPA Filter equal to or more than H13 (or its ISO 29463 equivalent: from ISO35H to ISO50H) (HEPA Filter Lifespan: minimum of 6 months)		<input type="checkbox"/> Comply
		With Activated Carbon Filter (Activated Carbon Filter Lifespan: minimum of 18 months)		<input type="checkbox"/> Comply

### OTHER REQUIREMENTS/TERMS AND CONDITIONS:

Item	Unit	OMBUDSMAN TECHNICAL SPECIFICATIONS	Bidder's Statement of Compliance
		The Air Purifier (AP) units to be supplied <b><u>must have HEPA FILTERS</u></b> with ISO 29463 Certification or an EN1822 Certification showing efficiency and classification of the product.	<input type="checkbox"/> Comply



		The Supplier must submit a notarized undertaking that the AP's UVC light feature complies with the UVC standard as stated in the technical specifications	<input type="checkbox"/> Comply
		The Supplier must submit a Testing Certification (Ozone Emission) showing the unit is compliant with IEC 60335-2-65, Edition 2.2 2015-01 or ANSI/UL 897 Certification	<input type="checkbox"/> Comply
		The Supplier must guarantee the availability of accessory filter replacement	<input type="checkbox"/> Comply
		The Supplier must guarantee the availability of accessory UVC lamp replacement	<input type="checkbox"/> Comply
		The Supplier shall carry sufficient inventories to assure ex-stock supply of consumable spare parts or components for the Goods for a period of five (5) years	<input type="checkbox"/> Comply
		The Supplier must provide brochures/pictures of the product being offered	<input type="checkbox"/> Comply
		The Supplier must provide a detailed operations and maintenance manual for each appropriate unit of the supplied Goods	<input type="checkbox"/> Comply
		The product to be delivered must conform with the Voltage/Frequency: 220-240 Volts/50-60 Hz. The Supplier must provide an appropriate adapter to be included in the package	<input type="checkbox"/> Comply
		The Supplier must provide on-site assembly and/or start-up of the supplied Goods	<input type="checkbox"/> Comply
		The Supplier must furnish tools required for assembly and/or maintenance of the supplied Goods	<input type="checkbox"/> Comply
		The Office of the Ombudsman shall have the right to reject and to demand for the replacement of the items delivered if found defective after the conduct of corresponding testing of each supplied Goods. Goods are considered defective when they are unfit for use for which it is intended, or its fitness for such use is diminished	<input type="checkbox"/> Comply
		The supplier must provide orientation of the Procuring Entity's personnel, at the Supplier's plant and/or repair of the supplied goods.	<input type="checkbox"/> Comply
		The supplier must have at least one (1) authorized service center within Metro Manila.	<input type="checkbox"/> Comply

Statement of Compliance
<p><i>[Bidders must check the "Comply" box against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent]</i></p>

*and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.]*

I hereby certify that the statement of compliance to the foregoing technical specifications are true and correct, otherwise, if found to be false either during bid evaluation or post-qualification, the same shall give rise to automatic disqualification of our bid.

---

Signature Over Printed Name of  
Authorized Representative

---

Position/Designation

---

Name of Company/Bidder

---

Telephone/Mobile Number(s)

---

Email address(es)

---

Date Signed



# Technical Specifications

## AMENDED OMBUDSMAN BID FORM No. 1D– TECHNICAL SPECIFICATION WITH BIDDER’S STATEMENT OF COMPLIANCE

**HON. ADORACION A. AGBADA**  
Chairperson, Bids and Awards Committee  
Office of the Ombudsman  
Agham Road, North Triangle  
Diliman, Quezon City

Madam:

Herewith is our TECHNICAL PROPOSAL for your office requirement:

(INSTRUCTION TO BIDDER: Check the “Comply” box if the bidder complies with the Ombudsman Specifications. A Technical Proposal containing unchecked “Comply” boxes would be automatically rated as “FAILED.”)

### LOT 4- AIR PURIFIERS WITH COVERAGE AREA OF AT LEAST 120 SQUARE METERS

Item	Unit	Ombudsman Technical Specifications	Quantity	Bidder’s Statement of Compliance
	unit	<b>AIR PURIFIER</b> <b>Coverage Area:</b> at least 120 square meters	2	<input type="checkbox"/> Comply
		Ultraviolet (UV) Sterilizer Concealed		<input type="checkbox"/> Comply
		UV Sterilizer (lifespan: minimum of 8,000 hours or 11 months)		<input type="checkbox"/> Comply
		Ultraviolet Light C (UVC) Technology (should have the wavelength of 200nm to 280nm <sup>9</sup> )		<input type="checkbox"/> Comply
		The Air Purifier must comply with either the IEC 60335-2-65, Edition 2.2 2015-01 or ANSI/UL 897 Standards.		<input type="checkbox"/> Comply
		With HEPA Filter equal to or more than H13 (or its ISO 29463 equivalent: from ISO35H to ISO50H) (HEPA Filter Lifespan: minimum of 6 months)		<input type="checkbox"/> Comply
		With Activated Carbon Filter (Activated Carbon Filter Lifespan: minimum of 18 months)		<input type="checkbox"/> Comply

### OTHER REQUIREMENTS/TERMS AND CONDITIONS:

Item	Unit	OMBUDSMAN TECHNICAL SPECIFICATIONS	Bidder’s Statement of Compliance
		The Air Purifier (AP) units to be supplied <b><u>must have HEPA FILTERS</u></b> with ISO 29463 Certification or an EN1822 Certification showing efficiency and classification of the product.	<input type="checkbox"/> Comply



		The Supplier must submit a notarized undertaking that the AP's UVC light feature complies with the UVC standard as stated in the technical specifications	<input type="checkbox"/> Comply
		The Supplier must submit a Testing Certification (Ozone Emission) showing the unit is compliant with IEC 60335-2-65, Edition 2.2 2015-01 or ANSI/UL 897 Certification	<input type="checkbox"/> Comply
		The Supplier must guarantee the availability of accessory filter replacement	<input type="checkbox"/> Comply
		The Supplier must guarantee the availability of accessory UVC lamp replacement	<input type="checkbox"/> Comply
		The Supplier shall carry sufficient inventories to assure ex-stock supply of consumable spare parts or components for the Goods for a period of five (5) years	<input type="checkbox"/> Comply
		The Supplier must provide brochures/pictures of the product being offered	<input type="checkbox"/> Comply
		The Supplier must provide a detailed operations and maintenance manual for each appropriate unit of the supplied Goods	<input type="checkbox"/> Comply
		The product to be delivered must conform with the Voltage/Frequency: 220-240 Volts/50-60 Hz. The Supplier must provide an appropriate adapter to be included in the package	<input type="checkbox"/> Comply
		The Supplier must provide on-site assembly and/or start-up of the supplied Goods	<input type="checkbox"/> Comply
		The Supplier must furnish tools required for assembly and/or maintenance of the supplied Goods	<input type="checkbox"/> Comply
		The Office of the Ombudsman shall have the right to reject and to demand for the replacement of the items delivered if found defective after the conduct of corresponding testing of each supplied Goods. Goods are considered defective when they are unfit for use for which it is intended, or its fitness for such use is diminished	<input type="checkbox"/> Comply
		The supplier must provide orientation of the Procuring Entity's personnel, at the Supplier's plant and/or repair of the supplied goods.	<input type="checkbox"/> Comply
		The supplier must have at least one (1) authorized service center within Metro Manila.	<input type="checkbox"/> Comply

### Statement of Compliance

*[Bidders must check the "Comply" box against each of the individual parameters of each Specification stating the corresponding performance parameter of the equipment offered. Statements of "Comply" must be supported by evidence in a Bidders Bid and cross-referenced to that evidence. Evidence shall be in the form of manufacturer's un-amended sales literature, unconditional statements of specification and compliance issued by the manufacturer, samples, independent test data etc., as appropriate. A statement that is not supported by evidence or is subsequently found to be contradicted by the evidence presented will render the Bid under evaluation liable for rejection. A statement either in the Bidder's statement of compliance or the supporting evidence that is found to be false either during Bid evaluation, post-qualification or the execution of the Contract may be regarded as fraudulent and render the Bidder or supplier liable for prosecution subject to the applicable laws and issuances.]*



I hereby certify that the statement of compliance to the foregoing technical specifications are true and correct, otherwise, if found to be false either during bid evaluation or post-qualification, the same shall give rise to automatic disqualification of our bid.

Signature Over Printed Name of Authorized Representative
Position/Designation
Name of Company/Bidder
Telephone/Mobile Number(s)
Email address(es)
Date Signed