



## Office of the Ombudsman

## OFFICE OF THE DEPUTY OMBUDSMAN FOR MINDANAO

Corner of Earth &amp; Libra Streets, GSIS Heights, Matina, Davao City

Website: www.ombudsman.gov.ph / www.philgeps.net.ph

**REQUEST FOR QUOTATION**

The Office of the Ombudsman – Mindanao Office, through its Bids and Awards Committee (BAC) for Alternative Method of Procurement, as duly authorized to conduct Small Value Procurement/Shopping in accordance with Sections 53.9 and 52 of The 2016 Revised Implementing Rules and Regulations of Republic Act No. 9184, hereby invites all interested suppliers/bidders to offer their lowest government price.

Supplier:	Quotation No: 24-BAC-AMP-001 January 2024
Address:	PR No: 2024-01-006 dtd 18 January 2024
	Remarks: 1st Canvass
Tel. No:	Date: 26 January 2024

**ATTY. MARCO ANACLETO P. BUENA**

Chairperson, Bids and Awards Committee for Alternative Method of Procurement

Office of the Deputy Ombudsman for Mindanao

Corner Earth and Libra Streets, GSIS Heights,

Matina, Davao City

Dear Sir/Madam:

After having carefully read and accepted the Terms and Conditions of this RFQ and followed the Instructions to Bidders specified in Annex B, hereunder is our quotation/s for the item/s as follows:

Item No.	ABC (PhP.)	Qty./Unit	OMB-MIN SPECIFICATIONS	UNIT PRICE	TOTAL PRICE
1	30,734.00	1 lot	<b>1 lot Supply, Delivery, and Installation for the replacement of parts of outdoor and indoor Air-conditioning units</b>  2 pcs. DVM Inverter EME-S PCB for the parts of outdoor Air-conditioning unit, supplying the DO's Office, Conference Rooms, and FAB Director's Office  1 pc. Indoor PCB for the part of Conference Room 1, Air-conditioning Unit  ---NF---	<input type="checkbox"/> Comply	

Date Posted: 26 January 2024

Deadline of Submission: 05 February 2024

**SUPPLIER'S REPRESENTATIVE**

(Printed Name &amp; Position)

Signature/Date

Note:

Please state your PhilGeps Number:

**BY THE AUTHORITY OF THE  
BIDS AND AWARDS COMMITTEE****KRISZA JOY R. RINTANAR**  
GIPO II / Head BAC Secretariat

Canvassed by:

Date: